

another friend, when my disease took a favourable turn, and I soon recovered sufficient strength to return to the Villa do Peñedo, where my kind friend the Juiz gave me a most welcome reception. His attentions accelerated my amendment, and I soon began to make considerable collections in the neighbourhood. In going up the river I had obtained many valuable things, chiefly *Leguminosæ* and *Loranthaceæ*; and on the Ilha San Pedro, where I remained during my illness, there were a great variety of fine *Cacti*, of which, spite of my great debility, I brought away three large cases. Some of the species attain a height of nearly thirty feet, and have stems three feet in circumference. A beautiful *Melocactus* particularly attracted my attention, and I trust the plants of it that I collected will do well. Many of the *Cacti* are no doubt new. I only found two species of *Orchideæ*. The island is chiefly inhabited by civilized Indians. It is my intention to take these collections to Pernambuco and ship them from thence; and I will at the same time give you a full account of my voyage and the vegetation of the country through which I passed. Since I came back I have visited the city of Alagoas, which is situated on the margin of a large lake, about six leagues from this place. I was much pleased to find there fine specimens of *Mayaca fluviatilis* (Aublet) and *Cabomba aquatica* of the same author.

“Any little information which my friends can communicate respecting the progress of science at home will be gratefully received by me. I trust that I may be allowed to receive regularly the numbers of the ‘Companion to the Botanical Magazine,’ for I assure you that it is really a ‘companion’ to me in this lonely life, where

I wander forth alone, and find no kindred eye

To gaze with me on the flowery earth and the glory of the sky.”

[Mr. Gardner’s subsequent letters will appear in our next.]

BIBLIOGRAPHICAL NOTICES.

A Cornish Fauna, being a compendium of the Natural History of the County. Part I. Containing the Vertebrate, Crustacean, and a portion of the Radiate Animals. By Jonathan Couch, F.L.S., &c. 8vo. Truro, 1838.

This is another of those little works which are daily rendering the knowledge of our native Fauna more complete, while at the same time it serves as a guide to the collection belonging to the Scientific Institution of the district. Mr. Couch has long been known as an observing naturalist, and as particularly conversant with the ichthyology of the Cornish coasts, and in the short Fauna now before us we have

another friend, when my disease took a favourable turn, and I soon recovered sufficient strength to return to the Villa do Peñedo, where my kind friend the Juiz gave me a most welcome reception. His attentions accelerated my amendment, and I soon began to make considerable collections in the neighbourhood. In going up the river I had obtained many valuable things, chiefly *Leguminosæ* and *Loranthaceæ*; and on the Ilha San Pedro, where I remained during my illness, there were a great variety of fine *Cacti*, of which, spite of my great debility, I brought away three large cases. Some of the species attain a height of nearly thirty feet, and have stems three feet in circumference. A beautiful *Melocactus* particularly attracted my attention, and I trust the plants of it that I collected will do well. Many of the *Cacti* are no doubt new. I only found two species of *Orchideæ*. The island is chiefly inhabited by civilized Indians. It is my intention to take these collections to Pernambuco and ship them from thence; and I will at the same time give you a full account of my voyage and the vegetation of the country through which I passed. Since I came back I have visited the city of Alagoas, which is situated on the margin of a large lake, about six leagues from this place. I was much pleased to find there fine specimens of *Mayaca fluviatilis* (Aublet) and *Cabomba aquatica* of the same author.

“Any little information which my friends can communicate respecting the progress of science at home will be gratefully received by me. I trust that I may be allowed to receive regularly the numbers of the ‘Companion to the Botanical Magazine,’ for I assure you that it is really a ‘companion’ to me in this lonely life, where

I wander forth alone, and find no kindred eye

To gaze with me on the flowery earth and the glory of the sky.”

[Mr. Gardner’s subsequent letters will appear in our next.]

BIBLIOGRAPHICAL NOTICES.

A Cornish Fauna, being a compendium of the Natural History of the County. Part I. Containing the Vertebrate, Crustacean, and a portion of the Radiate Animals. By Jonathan Couch, F.L.S., &c. 8vo. Truro, 1838.

This is another of those little works which are daily rendering the knowledge of our native Fauna more complete, while at the same time it serves as a guide to the collection belonging to the Scientific Institution of the district. Mr. Couch has long been known as an observing naturalist, and as particularly conversant with the ichthyology of the Cornish coasts, and in the short Fauna now before us we have

another friend, when my disease took a favourable turn, and I soon recovered sufficient strength to return to the Villa do Peñedo, where my kind friend the Juiz gave me a most welcome reception. His attentions accelerated my amendment, and I soon began to make considerable collections in the neighbourhood. In going up the river I had obtained many valuable things, chiefly *Leguminosæ* and *Loranthaceæ*; and on the Ilha San Pedro, where I remained during my illness, there were a great variety of fine *Cacti*, of which, spite of my great debility, I brought away three large cases. Some of the species attain a height of nearly thirty feet, and have stems three feet in circumference. A beautiful *Melocactus* particularly attracted my attention, and I trust the plants of it that I collected will do well. Many of the *Cacti* are no doubt new. I only found two species of *Orchideæ*. The island is chiefly inhabited by civilized Indians. It is my intention to take these collections to Pernambuco and ship them from thence; and I will at the same time give you a full account of my voyage and the vegetation of the country through which I passed. Since I came back I have visited the city of Alagoas, which is situated on the margin of a large lake, about six leagues from this place. I was much pleased to find there fine specimens of *Mayaca fluviatilis* (Aublet) and *Cabomba aquatica* of the same author.

“Any little information which my friends can communicate respecting the progress of science at home will be gratefully received by me. I trust that I may be allowed to receive regularly the numbers of the ‘Companion to the Botanical Magazine,’ for I assure you that it is really a ‘companion’ to me in this lonely life, where

I wander forth alone, and find no kindred eye

To gaze with me on the flowery earth and the glory of the sky.”

[Mr. Gardner’s subsequent letters will appear in our next.]

BIBLIOGRAPHICAL NOTICES.

A Cornish Fauna, being a compendium of the Natural History of the County. Part I. Containing the Vertebrate, Crustacean, and a portion of the Radiate Animals. By Jonathan Couch, F.L.S., &c. 8vo. Truro, 1838.

This is another of those little works which are daily rendering the knowledge of our native Fauna more complete, while at the same time it serves as a guide to the collection belonging to the Scientific Institution of the district. Mr. Couch has long been known as an observing naturalist, and as particularly conversant with the ichthyology of the Cornish coasts, and in the short Fauna now before us we have

another friend, when my disease took a favourable turn, and I soon recovered sufficient strength to return to the Villa do Peñedo, where my kind friend the Juiz gave me a most welcome reception. His attentions accelerated my amendment, and I soon began to make considerable collections in the neighbourhood. In going up the river I had obtained many valuable things, chiefly *Leguminosæ* and *Loranthaceæ*; and on the Ilha San Pedro, where I remained during my illness, there were a great variety of fine *Cacti*, of which, spite of my great debility, I brought away three large cases. Some of the species attain a height of nearly thirty feet, and have stems three feet in circumference. A beautiful *Melocactus* particularly attracted my attention, and I trust the plants of it that I collected will do well. Many of the *Cacti* are no doubt new. I only found two species of *Orchideæ*. The island is chiefly inhabited by civilized Indians. It is my intention to take these collections to Pernambuco and ship them from thence; and I will at the same time give you a full account of my voyage and the vegetation of the country through which I passed. Since I came back I have visited the city of Alagoas, which is situated on the margin of a large lake, about six leagues from this place. I was much pleased to find there fine specimens of *Mayaca fluviatilis* (Aublet) and *Cabomba aquatica* of the same author.

“Any little information which my friends can communicate respecting the progress of science at home will be gratefully received by me. I trust that I may be allowed to receive regularly the numbers of the ‘Companion to the Botanical Magazine,’ for I assure you that it is really a ‘companion’ to me in this lonely life, where

I wander forth alone, and find no kindred eye

To gaze with me on the flowery earth and the glory of the sky.”

[Mr. Gardner’s subsequent letters will appear in our next.]

BIBLIOGRAPHICAL NOTICES.

A Cornish Fauna, being a compendium of the Natural History of the County. Part I. Containing the Vertebrate, Crustacean, and a portion of the Radiate Animals. By Jonathan Couch, F.L.S., &c. 8vo. Truro, 1838.

This is another of those little works which are daily rendering the knowledge of our native Fauna more complete, while at the same time it serves as a guide to the collection belonging to the Scientific Institution of the district. Mr. Couch has long been known as an observing naturalist, and as particularly conversant with the ichthyology of the Cornish coasts, and in the short Fauna now before us we have

both many interesting remarks as "occasional correction of what is believed to be an error, or an addition of something in which our native species may differ from the same kinds in other districts," with the characters of several species which the author considers new, either to our Fauna or entirely so to science. The lists of the mammalia and birds are the most scanty, and we have little doubt that further research will soon add to their enlargement. The other departments are much fuller and exhibit a rich series. The following observations suggested themselves while perusing the work. Of the bats, six species are enumerated, though it is supposed more may exist. There will also be found additions to the *Sorices* and *Arvicolæ*. The *Cetacea* show a good list; thirteen species are enumerated. Speaking of the porpoise it is remarked, "I have known it take a bait, though it commonly proves too strong for the line." (We have more than once proposed to an angling friend to fish for this animal with the rod and line.) The falling motion in this and some of the others is accounted for "by the situation of the nostrils on the anterior part of the top of the head, to breathe through which, the body must be placed in somewhat of an erect posture, from which to descend, it passes through a considerable portion of a circle."

Among the birds the *Raptores* are comparatively rare. The *Noctua? funerea* as British, rests on the authority of a specimen taken on the Cornish coast. Of the *Insessores* the golden Oriole alights occasionally on the fishing boats. We regret to observe that the Cornish chough or red-legged crow is decreasing in numbers "owing to persecution from those who supply specimens to naturalists." The hoopoe is met with so frequently, "as to justify me in saying that it is not uncommon in Cornwall." Two instances of the alpine Swift having occurred are mentioned. *Natatores*: the little gull is stated to have been taken two or three times; and a new gull is given under the title of *L. Jacksonii*, Couch, for the characters of which see our Miscellanea, where we have printed them, as more likely there to attract attention. *Procellaria glacialis*, *Puffinus Anglorum*, *cinerea*, *pelagica*, and *Leachii* are all given.

Among the reptiles we have the *Rana esculenta* introduced, but with some hesitation. There have been several notices of this species occurring both in England and Scotland, but without sufficient authenticity, and the subject is worthy of more strict inquiry.

Fishes. Here we have an ample list, and in it several additions and corrections to Mr. Yarrell's work, which that gentleman will doubtless use in his forthcoming supplement. The *Serranus Couchii*,

both many interesting remarks as "occasional correction of what is believed to be an error, or an addition of something in which our native species may differ from the same kinds in other districts," with the characters of several species which the author considers new, either to our Fauna or entirely so to science. The lists of the mammalia and birds are the most scanty, and we have little doubt that further research will soon add to their enlargement. The other departments are much fuller and exhibit a rich series. The following observations suggested themselves while perusing the work. Of the bats, six species are enumerated, though it is supposed more may exist. There will also be found additions to the *Sorices* and *Arvicolæ*. The *Cetacea* show a good list; thirteen species are enumerated. Speaking of the porpoise it is remarked, "I have known it take a bait, though it commonly proves too strong for the line." (We have more than once proposed to an angling friend to fish for this animal with the rod and line.) The falling motion in this and some of the others is accounted for "by the situation of the nostrils on the anterior part of the top of the head, to breathe through which, the body must be placed in somewhat of an erect posture, from which to descend, it passes through a considerable portion of a circle."

Among the birds the *Raptores* are comparatively rare. The *Noctua? funerea* as British, rests on the authority of a specimen taken on the Cornish coast. Of the *Insessores* the golden Oriole alights occasionally on the fishing boats. We regret to observe that the Cornish chough or red-legged crow is decreasing in numbers "owing to persecution from those who supply specimens to naturalists." The hoopoe is met with so frequently, "as to justify me in saying that it is not uncommon in Cornwall." Two instances of the alpine Swift having occurred are mentioned. *Natatores*: the little gull is stated to have been taken two or three times; and a new gull is given under the title of *L. Jacksonii*, Couch, for the characters of which see our Miscellanea, where we have printed them, as more likely there to attract attention. *Procellaria glacialis*, *Puffinus Anglorum*, *cinerea*, *pelagica*, and *Leachii* are all given.

Among the reptiles we have the *Rana esculenta* introduced, but with some hesitation. There have been several notices of this species occurring both in England and Scotland, but without sufficient authenticity, and the subject is worthy of more strict inquiry.

Fishes. Here we have an ample list, and in it several additions and corrections to Mr. Yarrell's work, which that gentleman will doubtless use in his forthcoming supplement. The *Serranus Couchii*,

both many interesting remarks as "occasional correction of what is believed to be an error, or an addition of something in which our native species may differ from the same kinds in other districts," with the characters of several species which the author considers new, either to our Fauna or entirely so to science. The lists of the mammalia and birds are the most scanty, and we have little doubt that further research will soon add to their enlargement. The other departments are much fuller and exhibit a rich series. The following observations suggested themselves while perusing the work. Of the bats, six species are enumerated, though it is supposed more may exist. There will also be found additions to the *Sorices* and *Arvicolæ*. The *Cetaceæ* show a good list; thirteen species are enumerated. Speaking of the porpoise it is remarked, "I have known it take a bait, though it commonly proves too strong for the line." (We have more than once proposed to an angling friend to fish for this animal with the rod and line.) The falling motion in this and some of the others is accounted for "by the situation of the nostrils on the anterior part of the top of the head, to breathe through which, the body must be placed in somewhat of an erect posture, from which to descend, it passes through a considerable portion of a circle."

Among the birds the *Raptores* are comparatively rare. The *Noctua? funerea* as British, rests on the authority of a specimen taken on the Cornish coast. Of the *Insessores* the golden Oriole alights occasionally on the fishing boats. We regret to observe that the Cornish chough or red-legged crow is decreasing in numbers "owing to persecution from those who supply specimens to naturalists." The hoopoe is met with so frequently, "as to justify me in saying that it is not uncommon in Cornwall." Two instances of the alpine Swift having occurred are mentioned. *Natatores*: the little gull is stated to have been taken two or three times; and a new gull is given under the title of *L. Jacksonii*, Couch, for the characters of which see our Miscellanea, where we have printed them, as more likely there to attract attention. *Procellaria glacialis*, *Puffinus Anglorum*, *cinerea*, *pelagica*, and *Leachii* are all given.

Among the reptiles we have the *Rana esculenta* introduced, but with some hesitation. There have been several notices of this species occurring both in England and Scotland, but without sufficient authenticity, and the subject is worthy of more strict inquiry.

Fishes. Here we have an ample list, and in it several additions and corrections to Mr. Yarrell's work, which that gentleman will doubtless use in his forthcoming supplement. The *Serranus Couchii*,

both many interesting remarks as "occasional correction of what is believed to be an error, or an addition of something in which our native species may differ from the same kinds in other districts," with the characters of several species which the author considers new, either to our Fauna or entirely so to science. The lists of the mammalia and birds are the most scanty, and we have little doubt that further research will soon add to their enlargement. The other departments are much fuller and exhibit a rich series. The following observations suggested themselves while perusing the work. Of the bats, six species are enumerated, though it is supposed more may exist. There will also be found additions to the *Sorices* and *Arvicolæ*. The *Cetacea* show a good list; thirteen species are enumerated. Speaking of the porpoise it is remarked, "I have known it take a bait, though it commonly proves too strong for the line." (We have more than once proposed to an angling friend to fish for this animal with the rod and line.) The falling motion in this and some of the others is accounted for "by the situation of the nostrils on the anterior part of the top of the head, to breathe through which, the body must be placed in somewhat of an erect posture, from which to descend, it passes through a considerable portion of a circle."

Among the birds the *Raptores* are comparatively rare. The *Noctua? funerea* as British, rests on the authority of a specimen taken on the Cornish coast. Of the *Insessores* the golden Oriole alights occasionally on the fishing boats. We regret to observe that the Cornish chough or red-legged crow is decreasing in numbers "owing to persecution from those who supply specimens to naturalists." The hoopoe is met with so frequently, "as to justify me in saying that it is not uncommon in Cornwall." Two instances of the alpine Swift having occurred are mentioned. *Natatores*: the little gull is stated to have been taken two or three times; and a new gull is given under the title of *L. Jacksonii*, Couch, for the characters of which see our Miscellanea, where we have printed them, as more likely there to attract attention. *Procellaria glacialis*, *Puffinus Anglorum*, *cinerea*, *pelagica*, and *Leachii* are all given.

Among the reptiles we have the *Rana esculenta* introduced, but with some hesitation. There have been several notices of this species occurring both in England and Scotland, but without sufficient authenticity, and the subject is worthy of more strict inquiry.

Fishes. Here we have an ample list, and in it several additions and corrections to Mr. Yarrell's work, which that gentleman will doubtless use in his forthcoming supplement. The *Serranus Couchii*,

Yarr., is considered identical with *Polyprion cernuum*, Cuv. and Vall. *Hemulon formosum* or squirrel fish, a native of the West Indian Seas, has been once taken. *Sciæna Aquila* has been taken twice. *Cyclopterus coronatus*, coronated Lump fish of Couch, and considered new to science—one specimen however has only been examined, of a very small size; see our Miscellanea for characters. At the conclusion of this list there are some important remarks on the time and œconomy of spawning of many of the fishes commercially used, together with some hints regarding the improvement of our fishing regulations. This is a much more important subject than most people are at present willing to suppose, and these remarks deserve attention.

Of the Crustaceous animals, fifty-four species are enumerated; five *Lepadæa*, and of the Radiated animals, twenty-three. We trust the second part of this Fauna will speedily appear.

British Entomology. By J. Curtis, F.L.S.

Since we last noticed this work Nos. 175 to 180 have been published, which complete the 15th volume.

Lampyrus noctiluca (the Glow-worm), *Rhagio Heyshami*, *Ephemerella cognata* (the May-fly), *Harpocera Burmeisteri*, *Libellula rubicunda*, *Anthicus tibialis*, *Molanna angustata*, *Coccus Aceris*, and *Phytosus spinifer* are amongst the most interesting novelties, and there is a very beautiful plate of the rare *Clostera anachoreta* and its caterpillar. We would also call the attention of botanists to the faithful figures of *Astragalus hypoglottis*, *Sagittaria sagittifolia*, *Arabis stricta*, *Osmunda regalis*, *Althæa officinalis*, *Milium effusum*, *Hutchinsia petraea*, *Oxyria reniformis*, *Acorus Calamus*, *Zannichellia palustris*, *Melittis grandiflora*, &c.

We are happy to find that Mr. Curtis is preparing for the press a SYNOPSIS OF BRITISH INSECTS, the orders to be published in separate volumes. This will undoubtedly be an agreeable present to all lovers of entomology, especially those who have not ready access to large libraries.

Entomologists are earnestly invited to supply Mr. Curtis with duplicate specimens of those insects which he does not possess, or to lend him such species as maybe required for describing.

Icones Plantarum. By Sir W. J. Hooker.

The fifth part of this work, or the first half of the third volume, has recently appeared, with fifty plates, from Tabs. CCI. to CCL. inclusive. This portion is particularly rich in new South American plants from the collections of Mr. Gardner, Mathews, Professor W. Jameson, &c.

Yarr., is considered identical with *Polyprion cernuum*, Cuv. and Vall. *Hemulon formosum* or squirrel fish, a native of the West Indian Seas, has been once taken. *Sciæna Aquila* has been taken twice. *Cyclopterus coronatus*, coronated Lump fish of Couch, and considered new to science—one specimen however has only been examined, of a very small size; see our Miscellanea for characters. At the conclusion of this list there are some important remarks on the time and œconomy of spawning of many of the fishes commercially used, together with some hints regarding the improvement of our fishing regulations. This is a much more important subject than most people are at present willing to suppose, and these remarks deserve attention.

Of the Crustaceous animals, fifty-four species are enumerated; five *Lepadæa*, and of the Radiated animals, twenty-three. We trust the second part of this Fauna will speedily appear.

British Entomology. By J. Curtis, F.L.S.

Since we last noticed this work Nos. 175 to 180 have been published, which complete the 15th volume.

Lampyrus noctiluca (the Glow-worm), *Rhagio Heyshami*, *Ephemeræ cognata* (the May-fly), *Harpocera Burmeisteri*, *Libellula rubicunda*, *Anthicus tibialis*, *Molanna angustata*, *Coccus Aceris*, and *Phytosus spinifer* are amongst the most interesting novelties, and there is a very beautiful plate of the rare *Clostera anachoreta* and its caterpillar. We would also call the attention of botanists to the faithful figures of *Astragalus hypoglottis*, *Sagittaria sagittifolia*, *Arabis stricta*, *Osmunda regalis*, *Althæa officinalis*, *Milium effusum*, *Hutchinsia petraea*, *Oxyria reniformis*, *Acorus Calamus*, *Zannichellia palustris*, *Melittis grandiflora*, &c.

We are happy to find that Mr. Curtis is preparing for the press a SYNOPSIS OF BRITISH INSECTS, the orders to be published in separate volumes. This will undoubtedly be an agreeable present to all lovers of entomology, especially those who have not ready access to large libraries.

Entomologists are earnestly invited to supply Mr. Curtis with duplicate specimens of those insects which he does not possess, or to lend him such species as maybe required for describing.

Icones Plantarum. By Sir W. J. Hooker.

The fifth part of this work, or the first half of the third volume, has recently appeared, with fifty plates, from Tabs. CCI. to CCL. inclusive. This portion is particularly rich in new South American plants from the collections of Mr. Gardner, Mathews, Professor W. Jameson, &c.

Yarr., is considered identical with *Polyprion cernuum*, Cuv. and Vall. *Hemulon formosum* or squirrel fish, a native of the West Indian Seas, has been once taken. *Sciæna Aquila* has been taken twice. *Cyclopterus coronatus*, coronated Lump fish of Couch, and considered new to science—one specimen however has only been examined, of a very small size; see our Miscellanea for characters. At the conclusion of this list there are some important remarks on the time and œconomy of spawning of many of the fishes commercially used, together with some hints regarding the improvement of our fishing regulations. This is a much more important subject than most people are at present willing to suppose, and these remarks deserve attention.

Of the Crustaceous animals, fifty-four species are enumerated; five *Lepadæa*, and of the Radiated animals, twenty-three. We trust the second part of this Fauna will speedily appear.

British Entomology. By J. Curtis, F.L.S.

Since we last noticed this work Nos. 175 to 180 have been published, which complete the 15th volume.

Lampyrus noctiluca (the Glow-worm), *Rhagio Heyshami*, *Ephemerella cognata* (the May-fly), *Harpocera Burmeisteri*, *Libellula rubicunda*, *Anthicus tibialis*, *Molanna angustata*, *Coccus Aceris*, and *Phytosus spinifer* are amongst the most interesting novelties, and there is a very beautiful plate of the rare *Clostera anachoreta* and its caterpillar. We would also call the attention of botanists to the faithful figures of *Astragalus hypoglottis*, *Sagittaria sagittifolia*, *Arabis stricta*, *Osmunda regalis*, *Althæa officinalis*, *Milium effusum*, *Hutchinsia petraea*, *Oxyria reniformis*, *Acorus Calamus*, *Zannichellia palustris*, *Melittis grandiflora*, &c.

We are happy to find that Mr. Curtis is preparing for the press a SYNOPSIS OF BRITISH INSECTS, the orders to be published in separate volumes. This will undoubtedly be an agreeable present to all lovers of entomology, especially those who have not ready access to large libraries.

Entomologists are earnestly invited to supply Mr. Curtis with duplicate specimens of those insects which he does not possess, or to lend him such species as maybe required for describing.

Icones Plantarum. By Sir W. J. Hooker.

The fifth part of this work, or the first half of the third volume, has recently appeared, with fifty plates, from Tabs. CCI. to CCL. inclusive. This portion is particularly rich in new South American plants from the collections of Mr. Gardner, Mathews, Professor W. Jameson, &c.

Yarr., is considered identical with *Polyprion cernuum*, Cuv. and Vall. *Hemulon formosum* or squirrel fish, a native of the West Indian Seas, has been once taken. *Sciæna Aquila* has been taken twice. *Cyclopterus coronatus*, coronated Lump fish of Couch, and considered new to science—one specimen however has only been examined, of a very small size; see our Miscellanea for characters. At the conclusion of this list there are some important remarks on the time and œconomy of spawning of many of the fishes commercially used, together with some hints regarding the improvement of our fishing regulations. This is a much more important subject than most people are at present willing to suppose, and these remarks deserve attention.

Of the Crustaceous animals, fifty-four species are enumerated; five *Lepadæa*, and of the Radiated animals, twenty-three. We trust the second part of this Fauna will speedily appear.

British Entomology. By J. Curtis, F.L.S.

Since we last noticed this work Nos. 175 to 180 have been published, which complete the 15th volume.

Lampyrus noctiluca (the Glow-worm), *Rhagio Heyshami*, *Ephemerella cognata* (the May-fly), *Harpocera Burmeisteri*, *Libellula rubicunda*, *Anthicus tibialis*, *Molanna angustata*, *Coccus Aceris*, and *Phytosus spinifer* are amongst the most interesting novelties, and there is a very beautiful plate of the rare *Clostera anachoreta* and its caterpillar. We would also call the attention of botanists to the faithful figures of *Astragalus hypoglottis*, *Sagittaria sagittifolia*, *Arabis stricta*, *Osmunda regalis*, *Althæa officinalis*, *Milium effusum*, *Hutchinsia petraea*, *Oxyria reniformis*, *Acorus Calamus*, *Zannichellia palustris*, *Melittis grandiflora*, &c.

We are happy to find that Mr. Curtis is preparing for the press a SYNOPSIS OF BRITISH INSECTS, the orders to be published in separate volumes. This will undoubtedly be an agreeable present to all lovers of entomology, especially those who have not ready access to large libraries.

Entomologists are earnestly invited to supply Mr. Curtis with duplicate specimens of those insects which he does not possess, or to lend him such species as maybe required for describing.

Icones Plantarum. By Sir W. J. Hooker.

The fifth part of this work, or the first half of the third volume, has recently appeared, with fifty plates, from Tabs. CCI. to CCL. inclusive. This portion is particularly rich in new South American plants from the collections of Mr. Gardner, Mathews, Professor W. Jameson, &c.